

# Beyond Simple Graphs: Knowledge Graphs

**Jiaxuan You**

**Assistant Professor at UIUC CDS**




**CS598: Deep Learning with Graphs, 2024 Fall**

**<https://ulab-uiuc.github.io/CS598/>**

# Recap: Heterogeneous Graphs



- **Heterogeneous graphs:** a graph with multiple relation types



Input graph

# Recap: Relational GCN


- Learn from a graph with **multiple relation types**
- Use different neural network weights for different relation types!



# Today: Knowledge Graphs (KG)


## Knowledge in graph form:

- Capture entities, types, and relationships
- Nodes are **entities**
- Nodes are labeled with their **types**
- Edges between two nodes capture **relationships** between entities
- **KG is an example of a heterogeneous graph**




# Example: Bibliographic Networks

- **Node types:** paper, title, author, conference, year
- **Relation types:** pubWhere, pubYear, hasTitle, hasAuthor, cite



# Example: Bio Knowledge Graphs

- **Node types:** drug, disease, adverse event, protein, pathways
- **Relation types:** has\_func, causes, assoc, treats, is\_a




# Knowledge Graphs in Practice

## Examples of knowledge graphs

- Google Knowledge Graph
- Amazon Product Graph
- Facebook Graph API
- IBM Watson
- Microsoft Satori
- Project Hanover/Literome
- LinkedIn Knowledge Graph
- Yandex Object Answer

# Applications of Knowledge Graphs


- **Serving information:**





# Applications of Knowledge Graphs


- Question answering and conversation agents – the classic approach



# Knowledge Graph Datasets

- **Publicly available KGs:**
  - FreeBase, Wikidata, Dbpedia, YAGO, NELL, etc.
- **Common characteristics:**
  - **Massive:** Millions of nodes and edges
  - **Incomplete:** Many true edges are missing

Given a massive KG,  
enumerating all the  
possible facts is  
intractable!



Can we predict plausible  
BUT missing links?


# Example: Freebase



- **Freebase**

- ~80 million **entities**
- ~38K **relation types**
- ~3 billion **facts/triples**

93.8% of persons from Freebase  
have no place of birth and 78.5%  
have no nationality!



- **Datasets: FB15k/FB15k-237**

- A **complete** subset of Freebase, used by researchers to learn KG models

| Dataset   | Entities | Relations | Total Edges |
|-----------|----------|-----------|-------------|
| FB15k     | 14,951   | 1,345     | 592,213     |
| FB15k-237 | 14,505   | 237       | 310,079     |

Beyond Simple Graphs: Knowledge Graphs


**Knowledge Graph Completion**

# KG Completion Task

Given an enormous KG, can we complete the KG?


- For a given (**head**, **relation**), we predict missing **tails**.
- (Note this is slightly different from link prediction task)

**Example task:** predict the tail “Science Fiction” for (“J.K. Rowling”, “genre”)



# Recap: "Shallow" Encoding

- Simplest encoding approach: **encoder is just an embedding-lookup**



# KG Representation

- Edges in KG are represented as **triples**  $(h, r, t)$ 
  - **head** ( $h$ ) has **relation** ( $r$ ) with **tail** ( $t$ )
- **Key Idea:**
  - Model entities and relations in embedding space  $\mathbb{R}^d$ 
    - Associate entities and relations with **shallow embeddings (not GNNs)**
      - **Each node and each type of relation** has a unique trainable embedding
  - Given a triple  $(h, r, t)$ , the goal is that the **embedding of  $(h, r)$  should be close to the embedding of  $t$ .**
    - How to embed  $(h, r)$ ?
    - How to define score function  $f_r(h, t)$ ?
      - Score  $f_r$  is high if  $(h, r, t)$  exists, else  $f_r$  is low


# Discussion: How KG Methods Relate to GNNs?

- In essence, **KG methods** are **loss/score functions** defined over **node** and **edge** embeddings
- Since KGs are heterogeneous graphs with different relation types, we study **edge (type) embeddings for each edge type**
- **Shallow embeddings** are used to obtain node/edge embeddings for simplicity, but **more advanced deep encoders, e.g., (heterogeneous) GNNs, can be used**



# Many KG Embedding

- Many KG embedding Models:



# Today: Different Models

We are going to learn about different KG embedding models (shallow/transductive embs):

- Different models are...
  - ...based on different geometric intuitions
  - ...capture different types of relations (have different expressivity)

| Model    | Score   | Embedding  | Sym. | Antisym. | Inv. | Compos. | 1-to-N |
|----------|---|--|------|----------|------|---------|--------|
| TransE   | $-\ \mathbf{h} + \mathbf{r} - \mathbf{t}\ $                           | $\mathbf{h}, \mathbf{t}, \mathbf{r} \in \mathbb{R}^k$  | ✗    | ✓        | ✓    | ✓       | ✗      |
| TransR   | $-\ \mathbf{M}_r \mathbf{h} + \mathbf{r} - \mathbf{M}_r \mathbf{t}\ $ | $\mathbf{h}, \mathbf{t} \in \mathbb{R}^k,$<br>$\mathbf{r} \in \mathbb{R}^d,$<br>$\mathbf{M}_r \in \mathbb{R}^{d \times k}$ | ✓    | ✓        | ✓    | ✓       | ✓      |
| DistMult | $\langle \mathbf{h}, \mathbf{r}, \mathbf{t} \rangle$                  | $\mathbf{h}, \mathbf{t}, \mathbf{r} \in \mathbb{R}^k$  | ✓    | ✗        | ✗    | ✗       | ✓      |
| Complex  | $\text{Re}(\langle \mathbf{h}, \mathbf{r}, \bar{\mathbf{t}} \rangle)$ | $\mathbf{h}, \mathbf{t}, \mathbf{r} \in \mathbb{C}^k$  | ✓    | ✓        | ✓    | ✗       | ✓      |

Beyond Simple Graphs: Knowledge Graphs

Knowledge Graph Completion: TransE

# TransE


- **Intuition: Translation**

For a triplet  $(h, r, t)$ , let  $\mathbf{h}, \mathbf{r}, \mathbf{t} \in \mathbb{R}^d$  be embedding vectors.

- **TransE:  $\mathbf{h} + \mathbf{r} \approx \mathbf{t}$**  if the given link exists else  $\mathbf{h} + \mathbf{r} \neq \mathbf{t}$

**Entity scoring function:**  $f_r(h, t) = -\|\mathbf{h} + \mathbf{r} - \mathbf{t}\|$

- A valid triplet has a higher score / lower distance



embedding  
vectors will  
appear in  
boldface

# TransE: Contrastive/Triplet Loss

---

## Algorithm 1 Learning TransE

---

**input** Training set  $S = \{(h, \ell, t)\}$ , entities and rel. sets  $E$  and  $L$ , margin  $\gamma$ , embeddings dim.  $k$ .

1: **initialize**  $\ell \leftarrow \text{uniform}(-\frac{6}{\sqrt{k}}, \frac{6}{\sqrt{k}})$  for each  $\ell \in L$   
2:  $\ell \leftarrow \ell / \|\ell\|$  for each  $\ell \in L$   
3:  $e \leftarrow \text{uniform}(-\frac{6}{\sqrt{k}}, \frac{6}{\sqrt{k}})$  for each entity  $e \in E$

Initialize entities  $\ell$  and relations  $e$  uniformly, then normalize.  
 $\gamma$  is margin.

4: **loop**

5:  $e \leftarrow e / \|e\|$  for each entity  $e \in E$

6:  $S_{batch} \leftarrow \text{sample}(S, b)$  // sample a minibatch of size  $b$

7:  $T_{batch} \leftarrow \emptyset$  // initialize the set of pairs of triplets

8: **for**  $(h, \ell, t) \in S_{batch}$  **do**

9:  $(h', \ell, t') \leftarrow \text{sample}(S'_{(h, \ell, t)})$  // sample a corrupted triplet

Sample triplet  $(h', \ell, t')$  that does not appear in the KG.

10:  $T_{batch} \leftarrow T_{batch} \cup \{((h, \ell, t), (h', \ell, t'))\}$

11: **end for**

12: Update embeddings w.r.t.

$$\sum_{((h, \ell, t), (h', \ell, t')) \in T_{batch}} \nabla [\gamma + \underbrace{d(\mathbf{h} + \boldsymbol{\ell}, \mathbf{t})}_{\substack{\text{positive} \\ \text{sample}}} - \underbrace{d(\mathbf{h}' + \boldsymbol{\ell}, \mathbf{t}')}_{\substack{\text{negative} \\ \text{sample}}}]_+$$

$d$  represents distance (negative of score)

13: **end loop**

**Contrastive loss:** Favors lower distance (or higher score) for valid triplets, high distance (or lower score) for corrupted ones

# Connectivity Patterns in KG

- **Relations in a heterogeneous KG have different properties:**
  - Example:
    - **Symmetry:** If the edge  $(h, \text{"Roommate"}, t)$  exists in KG, then the edge  $(t, \text{"Roommate"}, h)$  should also exist.
    - **Inverse relation:** If the edge  $(h, \text{"Advisor"}, t)$  exists in KG, then the edge  $(t, \text{"Advisee"}, h)$  should also exist.
- Can we **categorize** these relation patterns?
- Are KG embedding methods (e.g., **TransE**) expressive enough to model these patterns?

# Four Relation Patterns

- **Symmetric (Antisymmetric) Relations:**

$$r(h, t) \Rightarrow r(t, h) \quad (r(h, t) \Rightarrow \neg r(t, h)) \quad \forall h, t$$

- **Example:**

- Symmetric: Family, Roommate
- Antisymmetric: Hypernym

- **Inverse Relations:**

$$r_2(h, t) \Rightarrow r_1(t, h)$$

- **Example** : (Advisor, Advisee)

- **Composition (Transitive) Relations:**

$$r_1(x, y) \wedge r_2(y, z) \Rightarrow r_3(x, z) \quad \forall x, y, z$$

- **Example**: My mother's husband is my father.

- **1-to-N relations:**

$$r(h, t_1), r(h, t_2), \dots, r(h, t_n) \text{ are all True.}$$

- **Example**:  $r$  is "StudentsOf"

# Antisymmetric Relations in TransE


- **Antisymmetric Relations:**

$$r(h, t) \Rightarrow \neg r(t, h) \quad \forall h, t$$

- **Example:** Hypernym

- **TransE** can model antisymmetric relations ✓

- **$h + r = t$ , but  $t + r \neq h$**





# Inverse Relations in TransE


- **Inverse Relations:**

$$r_2(h, t) \Rightarrow r_1(t, h)$$

- **Example** : (Advisor, Advisee)

- **TransE** can model inverse relations ✓

- $\mathbf{h} + \mathbf{r}_2 = \mathbf{t}$ , we can set  $\mathbf{r}_1 = -\mathbf{r}_2$



# Composition in TransE


- **Composition (Transitive) Relations:**

$$r_1(x, y) \wedge r_2(y, z) \Rightarrow r_3(x, z) \quad \forall x, y, z$$

- **Example:** My mother's husband is my father.

- **TransE** can model composition relations ✓

$$\mathbf{r}_3 = \mathbf{r}_1 + \mathbf{r}_2$$




# Limitation: Symmetric Relations

- **Symmetric Relations:**

$$r(h, t) \Rightarrow r(t, h) \quad \forall h, t$$

- **Example:** Family, Roommate

- **TransE cannot** model symmetric relations ✘  
only if  $\mathbf{r} = 0$ ,  $\mathbf{h} = \mathbf{t}$



For all  $h, t$  that satisfy  $r(h, t)$ ,  $r(t, h)$  is also True, which means  $\|\mathbf{h} + \mathbf{r} - \mathbf{t}\| = 0$  and  $\|\mathbf{t} + \mathbf{r} - \mathbf{h}\| = 0$ . Then  $\mathbf{r} = 0$  and  $\mathbf{h} = \mathbf{t}$ , however  $h$  and  $t$  are two different entities and should be mapped to different locations.

# Limitation: 1-to-N Relations

- **1-to-N Relations:**

- **Example:**  $(h, r, t_1)$  and  $(h, r, t_2)$  both exist in the knowledge graph, e.g.,  $r$  is “StudentsOf”


- **TransE cannot** model 1-to-N relations ✘

- $t_1$  and  $t_2$  will map to the same vector, although they are different entities

- $t_1 = h + r = t_2$

- $t_1 \neq t_2$

contradictory!



# Today: KG Completion Models

- What we learned so far:

| Model  | Score                                       | Embedding   | Sym. | Antisym. | Inv. | Compos. | 1-to-N |
|--------|---|---|------|----------|------|---------|--------|
| TransE | $-\ \mathbf{h} + \mathbf{r} - \mathbf{t}\ $ | $\mathbf{h}, \mathbf{t}, \mathbf{r} \in \mathbb{R}^k$ | ✗    | ✓        | ✓    | ✓       | ✗      |
|        |   |   |      |          |      |         |        |
|        |   |   |      |          |      |         |        |
|        |   |   |      |          |      |         |        |

Beyond Simple Graphs: Knowledge Graphs

Knowledge Graph Completion:

TransR

# TransR


- **TransE** models translation of any relation in the **same** embedding space.

- Can we design a new space for each relation and do translation in **relation-specific space**?

- **TransR**: model **entities** as vectors in the entity space  $\mathbb{R}^d$  and model each **relation** as vector in relation space  $\mathbf{r} \in \mathbb{R}^k$  with  $\mathbf{M}_r \in \mathbb{R}^{k \times d}$  as the projection matrix.

# TransR

- **TransR**: model **entities** as vectors in the entity space  $\mathbb{R}^d$  and model each **relation** as vector in relation space  $\mathbf{r} \in \mathbb{R}^k$  with  $\mathbf{M}_r \in \mathbb{R}^{k \times d}$  as the **projection matrix**.
  - $\mathbf{h}_\perp = \mathbf{M}_r \mathbf{h}$ ,  $\mathbf{t}_\perp = \mathbf{M}_r \mathbf{t}$
  - **Score function**:  $f_r(h, t) = -\|\mathbf{h}_\perp + \mathbf{r} - \mathbf{t}_\perp\|$
- Use  $\mathbf{M}_r$  to **project** from entity space  $\mathbb{R}^d$  to **relation space**  $\mathbb{R}^k$ !





# Symmetric Relations in TransR

- **Symmetric Relations:**


$$r(h, t) \Rightarrow r(t, h) \quad \forall h, t$$

- **Example:** Family, Roommate

- **TransR** can model symmetric relations

$$\mathbf{r} = 0, \quad \mathbf{h}_\perp = \mathbf{M}_r \mathbf{h} = \mathbf{M}_r \mathbf{t} = \mathbf{t}_\perp \quad \checkmark$$

Note different symmetric relations may have different  $\mathbf{M}_r$



# Antisymmetric Relations in TransR


- **Antisymmetric Relations:**

$$r(h, t) \Rightarrow \neg r(t, h) \quad \forall h, t$$

- **Example:** Hypernym


- **TransR** can model antisymmetric relations:

$$\mathbf{r} \neq 0, \mathbf{M}_r \mathbf{h} + \mathbf{r} = \mathbf{M}_r \mathbf{t}, \text{ Then } \mathbf{M}_r \mathbf{t} + \mathbf{r} \neq \mathbf{M}_r \mathbf{h} \checkmark$$



# 1-to-N Relations in TransR

- **1-to-N Relations:**
  - **Example:** If  $(h, r, t_1)$  and  $(h, r, t_2)$  exist in the knowledge graph.
- **TransR** can model 1-to-N relations ✓
  - We can learn  $\mathbf{M}_r$  so that  $\mathbf{t}_\perp = \mathbf{M}_r \mathbf{t}_1 = \mathbf{M}_r \mathbf{t}_2$
  - Note that  $\mathbf{t}_1$  does not need to be equal to  $\mathbf{t}_2$ !



# Inverse Relations in TransR


- **Inverse Relations:**

$$r_2(h, t) \Rightarrow r_1(t, h)$$

- **Example** : (Advisor, Advisee)

- **TransR** can model inverse relations

$$\mathbf{r}_2 = -\mathbf{r}_1, \mathbf{M}_{r_1} = \mathbf{M}_{r_2}, \text{ Then } \mathbf{M}_{r_1} \mathbf{t} + \mathbf{r}_1 = \mathbf{M}_{r_1} \mathbf{h} \text{ and } \mathbf{M}_{r_2} \mathbf{h} + \mathbf{r}_2 = \mathbf{M}_{r_2} \mathbf{t} \checkmark$$



# Composition Relations in TransR

- **Composition Relations:**

$$r_1(x, y) \wedge r_2(y, z) \Rightarrow r_3(x, z) \quad \forall x, y, z$$

- **Example:** My mother's husband is my father.

- **TransR** can model composition relations

**High-level intuition:** TransR models a triplet with linear functions, they are chainable.

# Composition Relations in TransR


- **Composition Relations:**

$$r_1(x, y) \wedge r_2(y, z) \Rightarrow r_3(x, z) \quad \forall x, y, z$$

Background:

Kernel space of a matrix **M**:

$$\mathbf{h} \in \text{Ker}(\mathbf{M}), \text{ then } \mathbf{M} \cdot \mathbf{h} = \mathbf{0}$$



# Composition Relations in TransR

- **Composition Relations:**

$$r_1(x, y) \wedge r_2(y, z) \Rightarrow r_3(x, z) \quad \forall x, y, z$$

Assume  $\mathbf{M}_{r_1} \mathbf{g}_1 = \mathbf{r}_1$  and  $\mathbf{M}_{r_2} \mathbf{g}_2 = \mathbf{r}_2$

- For  $r_1(x, y)$ :

$$\begin{aligned} r_1(x, y) \text{ exists} &\Rightarrow \mathbf{M}_{r_1} \mathbf{x} + \mathbf{r}_1 = \mathbf{M}_{r_1} \mathbf{y} \Rightarrow \\ &\mathbf{y} - \mathbf{x} \in \mathbf{g}_1 + \text{Ker}(\mathbf{M}_{r_1}) \Rightarrow \mathbf{y} \in \mathbf{x} + \mathbf{g}_1 + \text{Ker}(\mathbf{M}_{r_1}) \end{aligned}$$

- Same for  $r_2(y, z)$ :

$$\begin{aligned} r_2(y, z) \text{ exists} &\Rightarrow \mathbf{M}_{r_2} \mathbf{y} + \mathbf{r}_2 = \mathbf{M}_{r_2} \mathbf{z} \Rightarrow \\ &\mathbf{z} - \mathbf{y} \in \mathbf{g}_2 + \text{Ker}(\mathbf{M}_{r_2}) \Rightarrow \mathbf{z} \in \mathbf{y} + \mathbf{g}_2 + \text{Ker}(\mathbf{M}_{r_2}) \end{aligned}$$

- Then, we have

$$\mathbf{z} \in \mathbf{x} + \mathbf{g}_1 + \mathbf{g}_2 + \text{Ker}(\mathbf{M}_{r_1}) + \text{Ker}(\mathbf{M}_{r_2})$$

# Composition Relations in TransR

- **Composition Relations:**

$$r_1(x, y) \wedge r_2(y, z) \Rightarrow r_3(x, z) \quad \forall x, y, z$$

We have  $\mathbf{z} \in \mathbf{x} + \mathbf{g}_1 + \mathbf{g}_2 + \text{Ker}(\mathbf{M}_{r_1}) + \text{Ker}(\mathbf{M}_{r_2})$

- Construct  $\mathbf{M}_{r_3}$ , s.t.

$$\text{Ker}(\mathbf{M}_{r_3}) = \text{Ker}(\mathbf{M}_{r_1}) + \text{Ker}(\mathbf{M}_{r_2})$$

- **Since:**

- $\dim(\text{Ker}(\mathbf{M}_{r_3})) \geq \dim(\text{Ker}(\mathbf{M}_{r_1}))$

- $\mathbf{M}_{r_3}$  has the same shape as  $\mathbf{M}_{r_1}$

We know  $\mathbf{M}_{r_3}$  exists!

- Set  $\mathbf{r}_3 = \mathbf{M}_{r_3}(\mathbf{g}_1 + \mathbf{g}_2)$

- **We are done!** We have  $\mathbf{M}_{r_3}\mathbf{x} + \mathbf{r}_3 = \mathbf{M}_{r_3}\mathbf{z}$



# Today: KG Completion Models

- What we learned so far:

| Model  | Score   | Embedding  | Sym. | Antisym. | Inv. | Compos. | 1-to-N |
|--------|---|--|------|----------|------|---------|--------|
| TransE | $-\ \mathbf{h} + \mathbf{r} - \mathbf{t}\ $                           | $\mathbf{h}, \mathbf{t}, \mathbf{r} \in \mathbb{R}^k$  | ✗    | ✓        | ✓    | ✓       | ✗      |
| TransR | $-\ \mathbf{M}_r \mathbf{h} + \mathbf{r} - \mathbf{M}_r \mathbf{t}\ $ | $\mathbf{h}, \mathbf{t} \in \mathbb{R}^k,$<br>$\mathbf{r} \in \mathbb{R}^d,$<br>$\mathbf{M}_r \in \mathbb{R}^{d \times k}$ | ✓    | ✓        | ✓    | ✓       | ✓      |
|        |   |  |      |          |      |         |        |
|        |   |  |      |          |      |         |        |

Beyond Simple Graphs: Knowledge Graphs

Knowledge Graph Completion:

DistMult

# New Idea: Bilinear Modeling

- **So far:** The scoring function  $f_r(h, t)$  is **negative of L1 / L2 distance** in TransE and TransR

- **Idea: Use bilinear modeling:**

**Score function:**  $f_r(h, t) = h \cdot A \cdot t$

$$\mathbf{h}, \mathbf{t} \in \mathbb{R}^k, \mathbf{A} \in \mathbb{R}^{k \times k}$$


- **Problem: Too general and prone to overfitting**
  - Matrix A is too expressive
- **Fix: Limit A to be diagonal**
  - **This is called DistMult**

# New Idea: Bilinear Modeling

- **DistMult**: Entities & relations are vectors in  $\mathbb{R}^k$
- **Score function**:

$$f_r(h, t) = \langle \mathbf{h}, \mathbf{r}, \mathbf{t} \rangle = \sum_i \mathbf{h}_i \cdot \mathbf{r}_i \cdot \mathbf{t}_i$$

- $\mathbf{h}, \mathbf{r}, \mathbf{t} \in \mathbb{R}^k$




# DistMult

- **DistMult**: Entities and relations using vectors in  $\mathbb{R}^k$
- **Score function**:  $f_r(h, t) = \langle \mathbf{h}, \mathbf{r}, \mathbf{t} \rangle = \sum_i \mathbf{h}_i \cdot \mathbf{r}_i \cdot \mathbf{t}_i$ 
  - $\mathbf{h}, \mathbf{r}, \mathbf{t} \in \mathbb{R}^k$
- **Intuition of the score function**: Can be viewed as a **cosine similarity** between  $\mathbf{h} \cdot \mathbf{r}$  and  $\mathbf{t}$

where  $\mathbf{h} \cdot \mathbf{r}$  is defined as  $[\mathbf{h} \cdot \mathbf{r}]_i = h_i \cdot r_i$  Hadamard product

- **Example**:


$$f_r(h, t_1) < 0, \quad f_r(h, t_2) > 0$$



# 1-to-N Relations in DistMult

- **1-to-N Relations:**
  - **Example:** If  $(h, r, t_1)$  and  $(h, r, t_2)$  exist in the knowledge graph
- **DistMult** can model 1-to-N relations ✓

$$\langle \mathbf{h}, \mathbf{r}, \mathbf{t}_1 \rangle = \langle \mathbf{h}, \mathbf{r}, \mathbf{t}_2 \rangle$$



# Symmetric Relations in DistMult

- **Symmetric Relations:**

$$r(h, t) \Rightarrow r(t, h) \quad \forall h, t$$

- **Example:** Family, Roommate

- **DistMult** can naturally model symmetric relations ✓

$$\begin{aligned} f_r(h, t) &= \langle \mathbf{h}, \mathbf{r}, \mathbf{t} \rangle = \sum_i \mathbf{h}_i \cdot \mathbf{r}_i \cdot \mathbf{t}_i = \\ &\langle \mathbf{t}, \mathbf{r}, \mathbf{h} \rangle = f_r(t, h) \end{aligned}$$

Due to the commutative property of multiplication.

# Limitation: Antisymmetric Relations

- **Antisymmetric Relations:**

$$r(h, t) \Rightarrow \neg r(t, h) \quad \forall h, t$$

- **Example:** Hypernym

- **DistMult cannot** model antisymmetric relations

$$f_r(h, t) = \langle \mathbf{h}, \mathbf{r}, \mathbf{t} \rangle = \langle \mathbf{t}, \mathbf{r}, \mathbf{h} \rangle = f_r(t, h) \quad \times$$

- $r(h, t)$  and  $r(t, h)$  always have same score!

DistMult cannot differentiate between **head** entity and tail entity! This means that all relations are modelled as symmetric regardless, i.e., even anti-symmetric relations will be represented as symmetric.



# Limitation: Inverse Relations

- **Inverse Relations:**

$$r_2(h, t) \Rightarrow r_1(t, h)$$

- **Example** : (Advisor, Advisee)

- **DistMult cannot** model inverse relations ✘

- Assume DistMult does model inverse relations:

$$f_{r_2}(h, t) = \langle \mathbf{h}, \mathbf{r}_2, \mathbf{t} \rangle = \langle \mathbf{t}, \mathbf{r}_1, \mathbf{h} \rangle = f_{r_1}(t, h)$$

- This means  $\mathbf{r}_2 = \mathbf{r}_1$
- But semantically this does not make sense: **The embedding of “Advisor” should not be the same with “Advisee”.**

# Today: KG Completion Models

- What we learned so far:

| Model    | Score  | Embedding   | Sym. | Antisym. | Inv. | Compos. | 1-to-N |
|----------|--|---|------|----------|------|---------|--------|
| TransE   | $-\ \mathbf{h} + \mathbf{r} - \mathbf{t}\ $          | $\mathbf{h}, \mathbf{t}, \mathbf{r} \in \mathbb{R}^k$   | ✗    | ✓        | ✓    | ✓       | ✗      |
| TransR   | $-\ M_r \mathbf{h} + \mathbf{r} - M_r \mathbf{t}\ $  | $\mathbf{h}, \mathbf{t} \in \mathbb{R}^k,$<br>$\mathbf{r} \in \mathbb{R}^d,$<br>$M_r \in \mathbb{R}^{d \times k}$ | ✓    | ✓        | ✓    | ✓       | ✓      |
| DistMult | $\langle \mathbf{h}, \mathbf{r}, \mathbf{t} \rangle$ | $\mathbf{h}, \mathbf{t}, \mathbf{r} \in \mathbb{R}^k$   | ✓    | ✗        | ✗    | ✗       | ✓      |
|          |  |   |      |          |      |         |        |


Beyond Simple Graphs: Knowledge Graphs

Knowledge Graph Completion:

Complex

# Complex


- Based on Distmult, **Complex** embeds entities and relations in **Complex vector space**
- Complex**: model entities and relations using vectors in  $\mathbb{C}^k$



Complex multiplication:


$$(a + ib)(c + id) = (ac - bd) + i(ad + bc)$$

Example multiplication:



# ComplEx

- Based on Distmult, **ComplEx** embeds entities and relations in **Complex vector space**
- **ComplEx**: model entities and relations using vectors in  $\mathbb{C}^k$
- **Score function**  $f_r(h, t) = \text{Re}(\sum_i \mathbf{h}_i \cdot \mathbf{r}_i \cdot \bar{\mathbf{t}}_i)$



# Antisymmetric Relations in ComplEx

- **Antisymmetric Relations:**

$$r(h, t) \Rightarrow \neg r(t, h) \quad \forall h, t$$

- **Example:** Hypernym

- **ComplEx** can model antisymmetric relations ✓

- The model is expressive enough to learn

- **High**  $f_r(h, t) = \text{Re}(\sum_i \mathbf{h}_i \cdot \mathbf{r}_i \cdot \bar{\mathbf{t}}_i)$

- **Low**  $f_r(t, r) = \text{Re}(\sum_i \mathbf{t}_i \cdot \mathbf{r}_i \cdot \bar{\mathbf{h}}_i)$

Due to the asymmetric modeling using complex conjugate.

# Symmetric Relations in ComplEx

- **Symmetric Relations:**

$$r(h, t) \Rightarrow r(t, h) \quad \forall h, t$$

- **Example:** Family, Roommate

- **ComplEx** can model symmetric relations ✓

- When  $\text{Im}(\mathbf{r}) = 0$ , we have

- $$\begin{aligned} f_r(h, t) &= \text{Re}(\sum_i \mathbf{h}_i \cdot \mathbf{r}_i \cdot \bar{\mathbf{t}}_i) = \sum_i \text{Re}(\mathbf{r}_i \cdot \mathbf{h}_i \cdot \bar{\mathbf{t}}_i) \\ &= \sum_i \mathbf{r}_i \cdot \text{Re}(\mathbf{h}_i \cdot \bar{\mathbf{t}}_i) = \sum_i \mathbf{r}_i \cdot \text{Re}(\bar{\mathbf{h}}_i \cdot \mathbf{t}_i) = \sum_i \text{Re}(\mathbf{r}_i \cdot \bar{\mathbf{h}}_i \cdot \mathbf{t}_i) = f_r(t, h) \end{aligned}$$

# Inverse Relations in ComplEx

- Inverse Relations:

$$r_2(h, t) \Rightarrow r_1(t, h)$$

- **Example** : (Advisor, Advisee)

- **ComplEx** can model inverse relations ✓

- $\mathbf{r}_1 = \bar{\mathbf{r}}_2$

- Complex conjugate of

$$\mathbf{r}_2 = \underset{\mathbf{r}}{\operatorname{argmax}} \operatorname{Re}(\langle \mathbf{h}, \mathbf{r}, \bar{\mathbf{t}} \rangle) \text{ is exactly } \mathbf{r}_1 = \underset{\mathbf{r}}{\operatorname{argmax}} \operatorname{Re}(\langle \mathbf{t}, \mathbf{r}, \bar{\mathbf{h}} \rangle).$$



# Composition and 1-to-N

- **Composition Relations:**

$$r_1(x, y) \wedge r_2(y, z) \Rightarrow r_3(x, z) \quad \forall x, y, z$$

- **Example:** My mother's husband is my father.

- **1-to-N Relations:**

- **Example:** If  $(h, r, t_1)$  and  $(h, r, t_2)$  exist in the knowledge graph

- **Complex** share the same property with **DistMult**

- **Cannot model composition relations**
- **Can model 1-to-N relations**

# Today: KG Completion Models

- What we learned so far:

| Model    | Score   | Embedding   | Sym. | Antisym. | Inv. | Compos. | 1-to-N |
|----------|---|---|------|----------|------|---------|--------|
| TransE   | $-\ \mathbf{h} + \mathbf{r} - \mathbf{t}\ $                           | $\mathbf{h}, \mathbf{t}, \mathbf{r} \in \mathbb{R}^k$   | ✗    | ✓        | ✓    | ✓       | ✗      |
| TransR   | $-\ M_r \mathbf{h} + \mathbf{r} - M_r \mathbf{t}\ $                   | $\mathbf{h}, \mathbf{t} \in \mathbb{R}^k,$<br>$\mathbf{r} \in \mathbb{R}^d,$<br>$M_r \in \mathbb{R}^{d \times k}$ | ✓    | ✓        | ✓    | ✓       | ✓      |
| DistMult | $\langle \mathbf{h}, \mathbf{r}, \mathbf{t} \rangle$                  | $\mathbf{h}, \mathbf{t}, \mathbf{r} \in \mathbb{R}^k$   | ✓    | ✗        | ✗    | ✗       | ✓      |
| Complex  | $\text{Re}(\langle \mathbf{h}, \mathbf{r}, \bar{\mathbf{t}} \rangle)$ | $\mathbf{h}, \mathbf{t}, \mathbf{r} \in \mathbb{C}^k$   | ✓    | ✓        | ✓    | ✗       | ✓      |

# Summary of Knowledge Graph

- Link prediction / Graph completion is one of the prominent tasks on knowledge graphs
- Introduce **TransE** / **TransR** / **DistMult** / **Complex** models with different embedding space and expressiveness
- **Next:** Reasoning in Knowledge Graphs